



VINYL SOFFIT

finishing elements® series


performance. driven.




Durability, easy care and fresh good looks.

Enhance the appearance and performance of your home with Vyttec Vinyl Soffit.

- Easy-care vinyl never needs painting because it won't rot, peel or flake like wood.
- Vented soffit circulates air and can help improve a home's energy efficiency.
- Solid soffit adds an attractive finishing touch when ventilation isn't needed.
- A selection of sizes and finishes gives you design flexibility.
- D5" panels available in brushed finish.
- T4" panels available in woodgrain finish.
- Meets or exceeds the requirements in tests supported by the Vinyl Siding Institute, the leading authority in vinyl siding performance testing.



Double 5"
(Solid, Full Vent)



Triple 4"
(Solid, Center Vent, Full Vent)

physical characteristics

profiles:

Double 5" Solid, Double 5" Full Vent, Triple 4" Solid, Triple 4" Center Vent, Triple 4" Full Vent

exposure:

10" (254 mm) for Double 5"
12" (305 mm) for Triple 4"

panel projection:

1/2" (13 mm) for Double 5"
3/8" (9.5 mm) for Triple 4"

packaged:

2 squares/carton for Double 5"
1.92 squares/carton for Triple 4"

texture:

Brushed finish for Double 5"
Woodgrain finish for Triple 4"

colors available:

Antique Ivory, Autumn Ash, Clipper Gray, Country Almond, Dark Brown, Desert, Estate Gray, Horizon Blue, Irish Linen, Sage Green, Sandalwood, Sierra Brown, Storm, Terra Clay, White.

certificate of conformance

This certificate of conformance is provided to assist the architect or specifier in the specification of Vinyl Soffit and Beaded Porch Panel. This Soffit is intended solely for sidewall applications for new construction exteriors, remodeling projects or as replacement siding for existing structures, including residential and light commercial applications.

product specifications

D5 Solid Soffit only: Meets or exceeds the Standard Specification for Rigid PVC Siding (ASTM D-3679) and its referenced documents. An independent laboratory through unannounced inspection of all manufacturing facilities verifies the conformance to this specification. ASTM D-3679 is the specification used by building code authorities. Where not defined in ASTM D-3679, our products also meet the stringent quality control standards of Vytec.

D5 Vented Soffit and all T4 Soffit: Meets or exceeds the Standard Specification for Rigid PVC Soffit (ASTM D-4477) and its referenced documents. Where not defined in ASTM D-4477, our products also meet the stringent quality control standards of Vytec.

thickness (Vinyl Soffit):

0.040" ± 0.001" for Select Double 5"

0.036" ± 0.001" for Triple 4"

(average thickness over a 6-month period of production)

length: 12' (3.65 m)

color: Uniformity is spectrophotometrically controlled

gloss: Uniformity is controlled with a 75° glossmeter

lock: Optically measured and controlled

product test data

heat shrinkage: <3% at 160°F

impact resistance:

mean failure energy >60 in. lb.

surface distortion: None at 120°F

squareness: <1/8" of square

length: Within -1/4" of specification

warp/camber: <1/8"

coefficient of linear expansion

(in./in./°F): 3.15 x 10⁻⁵

fire resistance

All Vytec vinyl siding, soffit and accessories have a Class I flame spread classification per 1997 Uniform Fire Code.

ASTM E-84:

flame spread index: <25

smoke density index: >450

fuel contribution: 0

relevant codes and regulations compliance

Conforms to ASTM Specification D-3679 (D5 Solid Soffit only)

Conforms to ASTM Specification D-4477

Conforms to UBC Standard 14-2

(D5 Solid Soffit only)

CCMC Evaluation Report #13008-L

(D5 and T4 only)

profiles



double 5" solid



double 5" full vent



triple 4" solid



triple 4" full vent



triple 4" center vent

Additional information on vinyl siding can be obtained by contacting the Vinyl Siding Institute (VSI) at www.vinylsiding.org

Not all colors and/or profiles available in all areas, contact your local contractor for details. Colors throughout this brochure are simulated. Consult product samples before final selection.

WHITE

ANTIQUE IVORY

IRISH LINEN

DESERT

COUNTRY ALMOND

AUTUMN ASH

SIERRA BROWN

SANDAL WOOD

TERRA CLAY

SAGE GREEN

CLIPPER GRAY

ESTATE GRAY

STORM

HORIZON BLUE

DARK BROWN

Dark Brown (Available in T4 center vent only)